

```

#####
#####      Porta, Nome e Cache      #####
#####
#
http_port 3128 transparent
visible_hostname Corujão-Tecnológico-2015

## Criar cache na memoria de 4 GB ##
cache_mem 4096 MB
maximum_object_size_in_memory 2 MB
maximum_object_size 4 MB
minimum_object_size 10 KB
cache_swap_low 80
cache_swap_high 95
refresh_pattern ^ftp: 15 20% 2280
refresh_pattern ^gopher: 15 0% 2280
refresh_pattern . 15 20% 2280
#
#####
#####      Log      #####
#####
#
cache_access_log /var/log/squid3/access.log
cache_store_log /var/log/squid3/store.log
cache_log /var/log/squid3/cache.log
## Criar um cache em disco de 5 GB ##
cache_dir aufs /var/spool/squid3 5120 16 256
#
#####
#####      ACLs      #####
#####

acl all src 0.0.0.0/0.0.0.0
acl manager proto cache_object
acl localhost src 127.0.0.1/255.255.255.255
acl SSL_ports port 443 563
acl Safe_ports port 80 # http
acl Safe_ports port 21 # ftp
acl Safe_ports port 443 563 # https, snews
acl Safe_ports port 70 # gopher
acl Safe_ports port 210 # wais
acl Safe_ports port 280 # http-mgmt
acl Safe_ports port 488 # gss-http
acl Safe_ports port 591 # filemaker
acl Safe_ports port 777 # multiling http
acl Safe_ports port 901 # swat
acl Safe_ports port 1025-65535 # portas altas
acl purge method PURGE
acl CONNECT method CONNECT

#Bloquear as portas não citadas
http_access deny !Safe_ports

```

```
http_access deny CONNECT !SSL_ports
```

```
#####  
#####   Direitos de Acessos   #####  
#####
```

```
http_access allow manager localhost  
http_access deny manager  
http_access allow purge localhost  
http_access deny purge
```

```
#  
#####  
##   CONTROLE DE BANDA   ##  
#####
```

```
#  
#acl livre src 192.168.0.0/255.255.255.0  
#acl extensoes url_regex -i .exe$ .mp3$ .vqf$ .tar.gz$ .gz$ .rpm$ .zip$ .rar$ .avi$ .mpeg$ .mpe$ .m  
pg$ .ram$ .rm$ .iso$ .raw$ .wav$ .mov$
```

```
#delay_pools 2  
#  
# Classe 1 - Acesso a Internet a 512k  
#  
# delay_class 1 2  
# delay_parameters 1 -1/-1 69000/69000  
#  
# Classe 2 - Download a 180k  
#  
# delay_class 2 2  
# delay_parameters 2 -1/-1 22500/22500  
#delay_access 1 allow livre  
#delay_access 2 allow extensoes
```

```
#  
#####  
####   Liberando IP'S   ####  
#####
```

```
#  
acl liberados src "/etc/squid/liberados.conf"  
#
```

```
http_access allow liberados  
#  
#####  
####   BLOQUEAR PALAVRAS   ####  
#####
```

```
#  
acl bloquear_palavras url_regex -i "/etc/squid3/bloqueios.conf"  
#
```

```
http_access deny bloquear_palavras  
#  
#####  
####   Rede Local   ####  
#####
```

```
acl redelocal src 10.0.0.0/255.0.0.0
#
#####
####      Liberando as Redes      ####
#####
http_access allow localhost
http_access allow redelocal
#
#####
####      Bloqueando todo o Resto      ####
#####
http_access deny all
http_access deny bloquear_palavras
#####
####      Diretorio de erro com imagem personalizada      ####
#####
error_directory /usr/share/squid3/errors/portuguese

#####
```